



Jamaica datasafe 12hx540

The DataSafe ® HX top terminal ... 12HX540-FR 12 123 540 13.3 338 6.8 173 10.7 272 106.0 48.1 4775 2.6 1 D 1.70 6.44 18.41 8.35 2 AM-HX-RS AA March 2018. Battery Range Summary Constant Power Discharge (Watts per Cell) to 1.75Vpc at 77°F (25°C) Constant Power Discharge (Watts per Cell) to 1.70Vpc at 77°F (25°C) ...

EnerSys DataSafe HX Construction: Brass insert with threaded receptacle (12HX80 - 12HX540), bolt terminal (12HX80-FR - HX150-FR) or faston tabs (HX25-FR - HX150-FR) for maximum conductivity and ease of installation. Compression grommet (12HX205-FR - 12HX540-FR) or dual welded/epoxy seal (12HX25-FR - 12HX150-FR) designed for long life.

BBM supplies the EnerSys Datasafe 12HX540 FR Battery. Delivering 12V/123AH (540W per Cell) of energy, this 12HX540 battery provides the utmost in reliability and performance. Built specifically for the Information Technology and Uninterruptible Power Supply markets, this EnerSys Datasafe Battery, will keep your critica

DataSafe 12HX540-FR Features. AGM separators - the electrolyte is completely absorbed into the separator; High performance brass threaded receptacle for maximum conductivity and ease of installation; Increased energy density; Computer optimized electrochemistry for increased power up to the 15 minute rate;

EnerSys DataSafe 12HX540-FR valve regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible Power Supply markets. DataSafe HX batteries are the ideal source of power to protect vital systems. DataSafe HX batteries incorporate select design features that maximize reliability ...

DataSafe HX batteries" design maximizes reliability while ensuring superior performance and an excellent service life. Skip to content. 1.800.876.9373. Company Information. Search Search. Services. UPS and Data Center Services. ... DataSafe 12HX540-FR. EnerSys DataSafe 12HX540 batteries deliver superior performance, occupying less space than ...

Description 12HX540-FR BATTERY ENERSYS DATASAFE. 12HX540-FR BATTERY ENERSYS DATASAFE ENERSYS DATASAFE 12V 540 Watt SEALED Lead Acid AGM. EnerSys DataSafe 12HX540-FR valve regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible Power Supply markets. DataSafe HX ...

The DataSafe ® HX range of Valve ... 12HX205 - 12HX540: -30°C to +50°C Recommended: 20°C to 25°C o Up to six months shelf life (@ 25°C) Standards o UL listing: file numbers MH16464 for 12HX25 - 12HX150 and MH12544 for 12HX205 - 12HX540 o ...



Jamaica datasafe 12hx540

AM-HX-IOM AA December 2018 3 For cabinet installations, reference DataSafe ® HX Battery Cabinet Systems Range Summary (AM-DSCAB-RS). If provided, intercell connector covers should be installed after completing the

DataSafe HX Battery Type 5 101520 30 45 60 Standby Time (Minutes) DataSafe HX+ Battery Type 5 101520 30 45 60 Standby Time (Minutes) ... 12HX540 897.5674.8531.7438.5235.9186.2 326.3 . Constant Power Discharge Performance Data Constant Power (Watts per cell) to ...

Finding a replacement for a EnerSys/Yuasa DataSafe HX 12HX540-FR battery can be difficult, but we're here to help -- whether you need 1 or 1,000. Request a quote and our team will work to find the perfect replacement for you. Request a Quote.

The DataSafe HX 12HX35 has positively and negatively charged lead-calcium-tin alloy plate grids, Absorbed Glass Mat Valve Regulated Lead Acid (AGM VRLA) technology, and optimized electrochemistry. Other features include high-performance, brass-threaded receptacles and terminals, as well as individual flame-arresting cell vents.

12HX540-FR Components from ENERSYS In Stock, Order Now! 2-Year Warranty - DATASAFE, VALVE-REGULATED, LEAD ACID BATTERY,12V,540W, NON-SPILLABLE +1 (800) 884-5500 Live Chat. Same Day Shipping & Rush Processing Available +1 (800) 884-5500 Experts Available 24/7 365.

The DataSafe ® HX range of Valve Regulated Lead ... 12HX205 - 12HX540 o Batteries must be installed in accordance. with the IEC 62485-2 standard and national. regulations o Classified as "Long Life" (10-12 years) according to Eurobat guide o Approved for shipping as non-hazardous, non-spillable - per IATA Special Provision.

Original Enersys Datasafe 12HX540 Flame-retardant battery. This is a high-rate valve regulated AGM battery designed specifically for UPS (uninterruptible power supply). It has a 10 year design life. Flame retardant case and cover to meet ...

EnerSys DataSafe 12HX540-FR valve regulated lead acid batteries have been designed to offer superior solutions for the Information Technology and Uninterruptible Power Supply markets. DataSafe HX batteries are the ideal ...

ENERSYS DATASAFE® 12HX540-FR BATTERIES. Power Storage Solutions is a premier platinum stocking Distributor for the Datasafe 12HX540 batteries. We maintain the batteries in a climate controlled environment, then charge and test each unit prior to shipment. The DataSafe® HX top terminal battery range of Valve Regulated Lead Acid (VRLA ...

Buy 12HX540-FR - ENERSYS - DATASAFE Valve-Regulated Lead Acid Battery. Newark Electronics offers



Jamaica datasafe 12hx540

fast quotes, same day dispatch, fast delivery, wide inventory, datasheets & technical support.

Achetez 12HX540-FR - ENERSYS - DATASAFE Valve-Regulated Lead Acid Battery. Newark Électronique Canada propose des devis rapides, une expédition le jour même, une livraison rapide, un vaste inventaire, des fiches techniques et un support technique.

EnerSys Delaware Inc. ("EnerSys") warrants its DataSafe® 12HX205-12HX540, 16HX, 12HX680 Valve Regulated Lead Acid (VRLA) UPS float service batteries, racks and cabinets against defective materials and workmanship for the full period as defined

BATERÍAS DATASAFE-12HX540FR 12V 123Ah. Las Baterías DataSafe cuentan con tecnología de plomo ácido regulado por válculo (vrla), las baterías DataSafe HX ofrecen soluciones superiores para una amplia gama de sistemas de alimentación ininterrumpida (ups) y aplicaciones de TI. las baterías combinan varias características de diseño selectas para ...

Original Enersys Datasafe 12HX540 Flame-retardant battery. This is a high-rate valve regulated AGM battery designed specifically for UPS (uninterruptable power supply). It has a 10 year design life. Flame retardant case and cover to meet UL1778. This is a UL approved battery. The UL listing on the battery pack is MH12544.

EnerSys Datasafe 12HX540 / 12HX540FR: 12HX540 FR - Stock Item - Contact Us for Quote UPS High Rate Battery, Lead Calcium AGM, ABS case, 12V with (2) M6 Brass Threaded Insert terminals [540 WPC @15 min to 1.67vpc],[123Ah (c8)] 13.3"L x 6.8"W x 10.7"H (max ht), 106 Lbs EnerSys Datasafe 6HX800 / 6HX800FR: 6HX800 FR - Contact us for Availability

EnerSys DataSafe HX Series EnerSys DataSafe HX Series 12HX540FR 12 Volt / 123 Ah @8 Hr with Recessed M6 Terminals. ... SKU: EN-12HX540RFR Categories: 12HX540, Brands, Chemistry, DataSafe, EnerSys, HX Series, Lead Acid Tags: 12HX540, 12HX540FR, DataSafe, EnerSys, HX Series, Lead Acid. As low as \$ 292.96 each.

12HX540-FR 31.0 6.1 Charging Current The recommended charging method for DataSafe HX batteries is current limited, constant voltage charging. Refer to Table 1 for the current limits for each battery model. State of Charge The battery state of ...

Web: <https://www.profbismed.pl>